Notice of Completion & Environmental Document Transmittal

Mail to: State Clearinghouse, P.O. Box 3044, Sacramento, CA 95812-3044 (916) 445-0613 For Hand Delivery/Street Address: 1400 Tenth Street, Sacramento, CA 95814

2°t#19049155

Project Title: California Water Service Company (Cal Lead Agency: State Water Resources Control Board		on: Sara Paiva-Lowry
Mailing Address: PO Box 944212 City: Sacramento	Phone: (916)	
City: Sacramento	Zip: <u>94244-2120</u> County: <u>Sac</u>	ramento
	City/Nearest Community: Comp	
Cross Streets: 958 West Walnut Street near South Ander		Zip Code: <u>92310</u>
Longitude/Latitude (degrees, minutes and seconds): 33 • 52		- 100
Assessor's Parcel No.: 7319-028-904 Within 2 Miles: State Hwy #: 91	Section: <u>S28</u> Twp.: <u>T3S</u> Waterways: N/A	Range: R13W Base: San Berns
Airports: Compton/Woodley County Ai		Schools: Walton Middle School
Document Type: CEQA: NOP Draft EIR Early Cons Supplement/Subsequent Neg Dec (Prior SCH No.) Mit Neg Dec Other:	EIR	Other:
Local Action Type:	A COStant Bloom	des & Bernerch
General Plan Update Specific Plan General Plan Amendment Master Plan General Plan Element Planned Unit Developm Community Plan Site Plan		
Development Type:		
Residential: Units Acres		
Office: Sq.ft Acres Employee	Transportation: Type Mining: Miner	-1
Commercial:Sq.ft. Acres Employee Employee Employee	s Power: Type	ral MW
Educational: Recreational:	Waste Treatment: Type	MGD
■ Recreational: ■ Water Facilities: Type New Well MGD 2.16 to	o 2.88 Other:	
Project Issues Discussed in Document:		
Aesthetic/Visual ☐ Fiscal Agricultural Land ☐ Flood Plain/Flooding Air Quality ☐ Forest Land/Fire Hazar Archeological/Historical ☒ Geologic/Seismic Biological Resources ☐ Minerals		
☐ Coastal Zone ☐ Noise ☐ Population/Housing Ba ☐ Economic/Jobs ☐ Public Services/Faciliti Present Land Use/Zoning/General Plan Designation: Present Land Use: Industrial (I), and zoned Heavy Manu Project Description: (please use a separate page if no Cal Water proposes to improve water service reliability	ufacturing (MH) ecessary) by construction of a new water sup	
☐ Drainage/Absorption ☐ Population/Housing Ba ☐ Economic/Jobs ☐ Public Services/Faciliti Present Land Use/Zoning/General Plan Designation: Present Land Use: Industrial (I), and zoned Heavy Manu Project Description: (please use a separate page if no	Inlance Toxic/Hazardous lies Traffic/Circulation Infacturing (MH) Infacturing (MH)	Cumulative Effects Other: Tribal Resources Oply well to an estimated depth of construction and testing of the new arge water during the well estern property border to shield Fire the electrical and treatment amps, and chemical injection facilities.
Drainage/Absorption Economic/Jobs Present Land Use/Zoning/General Plan Designation: Present Land Use: Industrial (I), and zoned Heavy Manu Project Description: (please use a separate page if not Cal Water proposes to improve water service reliability 800 feet and capacity of 2.16 to 2.88 million gallons per well. A catch basin and connection to an existing storm development process. Prior to drilling, a temporary noi Station No. 4 from construction noise. A slump stone b facilities if needed, and will contain aeration equipment Fencing, a security system, paving, and landscaping with Clearinghouse Contact:	Inlance Toxic/Hazardous lies Traffic/Circulation Infacturing (MH) Infacturing (MH)	Other: Tribal Resources Other: Tribal Resources Oply well to an estimated depth of construction and testing of the new arge water during the well estern property border to shield Fire the electrical and treatment amps, and chemical injection facilities.
Drainage/Absorption Economic/Jobs Present Land Use/Zoning/General Plan Designation: Present Land Use: Industrial (I), and zoned Heavy Manu Project Description: (please use a separate page if not Cal Water proposes to improve water service reliability 800 feet and capacity of 2.16 to 2.88 million gallons per well. A catch basin and connection to an existing storm development process. Prior to drilling, a temporary noi Station No. 4 from construction noise. A slump stone be facilities if needed, and will contain aeration equipment Fencing, a security system, paving, and landscaping with Clearinghouse Contact: (916) 445-0613	Indiance Toxic/Hazardous lies Traffic/Circulation Infacturing (MH) Infacturing (MH	Cumulative Effects Other: Tribal Resources Other: Tribal Resources Oply well to an estimated depth of construction and testing of the new arge water during the well estern property border to shield Fire the electrical and treatment emps, and chemical injection facilities. General State Agencies Cal EPA
Drainage/Absorption Economic/Jobs Present Land Use/Zoning/General Plan Designation: Present Land Use: Industrial (I), and zoned Heavy Manu Project Description: (please use a separate page if not Cal Water proposes to improve water service reliability 800 feet and capacity of 2.16 to 2.88 million gallons pel well. A catch basin and connection to an existing storm development process. Prior to drilling, a temporary noi Station No. 4 from construction noise. A slump stone b facilities if needed, and will contain aeration equipmen Fencing, a security system, paving, and landscaping wi Clearinghouse Contact: (916) 445-0613	Idance Toxic/Hazardous lies Traffic/Circulation Ifacturing (MH) Decessary) If by construction of a new water super day. The Project includes drilling, on drain will be constructed to dischargise wall will be erected along the east wilding will be constructed to house out, ion exchange vessels, booster put ill be included in site development. Project Sent to the followin Resources Boating & Waterways	Cumulative Effects Other: Tribal Resources Other: Tribal Resources Opply well to an estimated depth of construction and testing of the new arge water during the well stern property border to shield Fire e the electrical and treatment amps, and chemical injection facilities. General EPA ARB: Airport & Freight
Drainage/Absorption Economic/Jobs Present Land Use/Zoning/General Plan Designation: Present Land Use: Industrial (I), and zoned Heavy Manu Project Description: (please use a separate page if not Cal Water proposes to improve water service reliability 800 feet and capacity of 2.16 to 2.88 million gallons per well. A catch basin and connection to an existing storm development process. Prior to drilling, a temporary noi Station No. 4 from construction noise. A slump stone be facilities if needed, and will contain aeration equipment Fencing, a security system, paving, and landscaping with Clearinghouse Contact: (916) 445-0613	Indiance Toxic/Hazardous lies Traffic/Circulation Infacturing (MH) Infacturing (MH	Cumulative Effects Other: Tribal Resources Other: Tribal Resources Opply well to an estimated depth of construction and testing of the new arge water during the well stern property border to shield Fire e the electrical and treatment amps, and chemical injection facilities. General EPA ARB: Airport & Freight
□ Drainage/Absorption □ Economic/Jobs □ Public Services/Faciliti Present Land Use/Zoning/General Plan Designation: Present Land Use: Industrial (I), and zoned Heavy Manu Project Description: (please use a separate page if not Cal Water proposes to improve water service reliability 800 feet and capacity of 2.16 to 2.88 million gallons per well. A catch basin and connection to an existing storm development process. Prior to drilling, a temporary noi Station No. 4 from construction noise. A slump stone be facilities if needed, and will contain aeration equipment Fencing, a security system, paving, and landscaping with Clearinghouse Contact: (916) 445-0613 Review Began: □ - 210 - 2019	Interest of the following with the constructed in the construction of a new water super day. The Project includes drilling, on drain will be constructed to discharge wall will be erected along the east wilding will be constructed to house the included in site development. Project Sent to the following with the constructed was a suil be included in site development.	Cumulative Effects Other: Tribal Resources Opply well to an estimated depth of construction and testing of the new arge water during the well estern property border to shield Fire the electrical and treatment amps, and chemical injection facilities. General EPA ARB: Airport & Freight ARB: Transportation Projects ARB: Major Industrial/Energy Resources, Recycl.& Recovery
Drainage/Absorption Economic/Jobs Present Land Use/Zoning/General Plan Designation: Present Land Use: Industrial (I), and zoned Heavy Manu Project Description: (please use a separate page if not Cal Water proposes to improve water service reliability 800 feet and capacity of 2.16 to 2.88 million gallons per well. A catch basin and connection to an existing storm development process. Prior to drilling, a temporary noi Station No. 4 from construction noise. A slump stone b facilities if needed, and will contain aeration equipment Fencing, a security system, paving, and landscaping with Clearinghouse Contact: (916) 445-0613 Review Began: - 210 - 2019	Interest of the following with the following of the following water suggested by the following water suggested by the following will be constructed to discharge will be constructed to house the following will be included in site development. You have been been been been been been been be	Cumulative Effects Other: Tribal Resources Other: Tribal Resources Oply well to an estimated depth of construction and testing of the new arge water during the well estern property border to shield Fire the electrical and treatment amps, and chemical injection facilities. General EPA ARB: Airport & Freight ARB: Transportation Projects ARB: Major Industrial/Energy Resources, Recycl.& Recovery SWRCB: Div. of Drinking Water
Drainage/Absorption Economic/Jobs Present Land Use/Zoning/General Plan Designation: Present Land Use: Industrial (I), and zoned Heavy Manu Project Description: (please use a separate page if not Cal Water proposes to improve water service reliability 800 feet and capacity of 2.16 to 2.88 million gallons per well. A catch basin and connection to an existing storm development process. Prior to drilling, a temporary noi Station No. 4 from construction noise. A slump stone be facilities if needed, and will contain aeration equipment Fencing, a security system, paving, and landscaping with Clearinghouse Contact: (916) 445-0613 Review Began: - 210 - 2019	Interest of the following with the constructed in the construction of a new water super day. The Project includes drilling, on drain will be constructed to discharge wall will be erected along the east wilding will be constructed to house the included in site development. Project Sent to the following with the constructed was a suil be included in site development.	Cumulative Effects Other: Tribal Resources Oply well to an estimated depth of construction and testing of the new arge water during the well estern property border to shield Fire the electrical and treatment amps, and chemical injection facilities. GState Agencies Cal EPA ARB: Airport & Freight ARB: Transportation Projects ARB: Major Industrial/Energy Resources, Recycl.& Recovery SWRCB: Div. of Drinking Water
Drainage/Absorption Economic/Jobs Present Land Use/Zoning/General Plan Designation: Present Land Use: Industrial (I), and zoned Heavy Manu Project Description: (please use a separate page if not Cal Water proposes to improve water service reliability 800 feet and capacity of 2.16 to 2.88 million gallons per well. A catch basin and connection to an existing storm development process. Prior to drilling, a temporary noi Station No. 4 from construction noise. A slump stone be facilities if needed, and will contain aeration equipment Fencing, a security system, paving, and landscaping with Clearinghouse Contact: (916) 445-0613 Review Began: - 210 - 2019	Alance Toxic/Hazardous lies Traffic/Circulation Infacturing (MH) Decessary) Decessary	Cumulative Effects Other: Tribal Resources Other: Tribal Resources Opply well to an estimated depth of construction and testing of the new arge water during the well stern property border to shield Fire e the electrical and treatment amps, and chemical injection facilities. Gal EPA ARB: Airport & Freight ARB: Transportation Projects ARB: Major Industrial/Energy Resources, Recycl.& Recovery SWRCB: Div. of Drinking Water SWRCB: Div. Drinking Wtr # SWRCB: Div. Financial Assist. SWRCB: Wtr Quality
□ Drainage/Absorption □ Economic/Jobs □ Public Services/Faciliti Present Land Use/Zoning/General Plan Designation: Present Land Use: Industrial (I), and zoned Heavy Manu Project Description: (please use a separate page if more Cal Water proposes to improve water service reliability 800 feet and capacity of 2.16 to 2.88 million gallons per well. A catch basin and connection to an existing storm development process. Prior to drilling, a temporary noi Station No. 4 from construction noise. A slump stone be facilities if needed, and will contain aeration equipment Fencing, a security system, paving, and landscaping with Clearinghouse Contact: (916) 445-0613 Review Began: □ - 210 - 2019	Alance Toxic/Hazardous lies Traffic/Circulation Infacturing (MH) Decessary) In by construction of a new water super day. The Project includes drilling, on drain will be constructed to discharge wall will be erected along the east of the included in site development. Project Sent to the followin X Resources Boating & Waterways Central Valley Flood Prot. Coastal Comm Colorado Rvr Bd Conservation X CDFW # 5 Cal Fire Historic Preservation X Parks & Rec	Cumulative Effects Other: Tribal Resources Other: Tribal Resources Opply well to an estimated depth of construction and testing of the new arge water during the well stern property border to shield Fire e the electrical and treatment amps, and chemical injection facilities. Gal EPA ARB: Airport & Freight ARB: Transportation Projects ARB: Major Industrial/Energy Resources, Recycl. & Recovery SWRCB: Div. of Drinking Water SWRCB: Div. Drinking Wtr # SWRCB: Wtr Quality SWRCB: Wtr Rights
□ Drainage/Absorption □ Economic/Jobs □ Public Services/Faciliti Present Land Use/Zoning/General Plan Designation: Present Land Use: Industrial (I), and zoned Heavy Manu Project Description: (please use a separate page if not Cal Water proposes to improve water service reliability 800 feet and capacity of 2.16 to 2.88 million gallons per well. A catch basin and connection to an existing storm development process. Prior to drilling, a temporary noi Station No. 4 from construction noise. A slump stone be facilities if needed, and will contain aeration equipment Fencing, a security system, paving, and landscaping with Clearinghouse Contact: (916) 445-0613 Review Began: □ - 210 - 2019	Alance Toxic/Hazardous lies Traffic/Circulation Infacturing (MH) Decessary) Decessary	Cumulative Effects Other: Tribal Resources Other: Tribal Resources Opply well to an estimated depth of construction and testing of the new arge water during the well stern property border to shield Fire e the electrical and treatment amps, and chemical injection facilities. Gal EPA ARB: Airport & Freight ARB: Transportation Projects ARB: Major Industrial/Energy Resources, Recycl.& Recovery SWRCB: Div. of Drinking Water SWRCB: Div. Drinking Wtr # SWRCB: Div. Financial Assist. SWRCB: Wtr Quality
Drainage/Absorption Economic/Jobs Present Land Use/Zoning/General Plan Designation: Present Land Use: Industrial (I), and zoned Heavy Manu Project Description: (please use a separate page if not Cal Water proposes to improve water service reliability 800 feet and capacity of 2.16 to 2.88 million gallons per well. A catch basin and connection to an existing storm development process. Prior to drilling, a temporary noi Station No. 4 from construction noise. A slump stone b facilities if needed, and will contain aeration equipment Fencing, a security system, paving, and landscaping with Clearinghouse Contact: (916) 445-0613 Review Began: - 210 - 2019	Alance Toxic/Hazardous lies Traffic/Circulation Infacturing (MH) Decessary) To by construction of a new water super day. The Project includes drilling, on drain will be constructed to discharge wall will be erected along the east of the included in site development. Project Sent to the followin X Resources Boating & Waterways Central Valley Flood Prot. Coastal Comm Colorado Rvr Bd Conservation X CDFW # 5 Cal Fire Historic Preservation X Parks & Rec Bay Cons & Dev Comm.	Cumulative Effects Other: Tribal Resources In the second of the new of the ne
□ Drainage/Absorption □ Economic/Jobs □ Public Services/Faciliti Present Land Use/Zoning/General Plan Designation: Present Land Use: Industrial (I), and zoned Heavy Manu Project Description: (please use a separate page if not Cal Water proposes to improve water service reliability 800 feet and capacity of 2.16 to 2.88 million gallons per well. A catch basin and connection to an existing storm development process. Prior to drilling, a temporary noi Station No. 4 from construction noise. A slump stone be facilities if needed, and will contain aeration equipment Fencing, a security system, paving, and landscaping with Clearinghouse Contact: (916) 445-0613 Review Began: □ - 210 - 2019	Alance Toxic/Hazardous lies Traffic/Circulation Infacturing (MH)	Cumulative Effects Other: Tribal Resources Other: Tribal Resources Opply well to an estimated depth of construction and testing of the new arge water during the well estern property border to shield Fire the electrical and treatment emps, and chemical injection facilities. Gal EPA ARB: Airport & Freight ARB: Transportation Projects ARB: Major Industrial/Energy Resources, Recycl. & Recovery SWRCB: Div. of Drinking Water SWRCB: Div. Drinking Wtr # SWRCB: Div. Financial Assist. SWRCB: Wtr Quality SWRCB: Wtr Rights X Reg. WQCB # Toxic Sub Ctrl-CTC Yth/Adlt Corrections Corrections
Drainage/Absorption Economic/Jobs Present Land Use/Zoning/General Plan Designation: Present Land Use: Industrial (I), and zoned Heavy Manu Project Description: (please use a separate page if not Cal Water proposes to improve water service reliability 800 feet and capacity of 2.16 to 2.88 million gallons per well. A catch basin and connection to an existing storm development process. Prior to drilling, a temporary noi Station No. 4 from construction noise. A slump stone be facilities if needed, and will contain aeration equipment Fencing, a security system, paving, and landscaping with Clearinghouse Contact: (916) 445-0613 Review Began: 4 - 24 - 2019 COMPLIANCE 5 - 28 - 2019	Alance Toxic/Hazardous lies Traffic/Circulation Infacturing (MH) Decessary) In by construction of a new water super day. The Project includes drilling, on drain will be constructed to discharge wall will be erected along the east of the included in site development. Project Sent to the followin X Resources Boating & Waterways Central Valley Flood Prot. Coastal Comm Colorado Rvr Bd Conservation X CDFW # 5 Cal Fire Historic Preservation X Parks & Rec Bay Cons & Dev Comm. DWR CalSTA	Cumulative Effects Other: Tribal Resources Other: Tribal Resources Opply well to an estimated depth of construction and testing of the new arge water during the well stern property border to shield Fire e the electrical and treatment amps, and chemical injection facilities. Gal EPA ARB: Airport & Freight ARB: Transportation Projects ARB: Major Industrial/Energy Resources, Recycl. & Recovery SWRCB: Div. of Drinking Water SWRCB: Div. Financial Assist. SWRCB: Wtr Quality SWRCB: Wtr Rights X Reg. WQCB # Toxic Sub Ctrl-CTC Yth/Adlt Corrections Corrections Independent Comm
Drainage/Absorption Economic/Jobs Present Land Use/Zoning/General Plan Designation: Present Land Use: Industrial (I), and zoned Heavy Manu Project Description: (please use a separate page if m Cal Water proposes to improve water service reliability 800 feet and capacity of 2.16 to 2.88 million gallons pewell. A catch basin and connection to an existing storm development process. Prior to drilling, a temporary noi Station No. 4 from construction noise. A slump stone b facilities if needed, and will contain aeration equipment Fencing, a security system, paving, and landscaping wi Clearinghouse Contact: (916) 445-0613 Review Began: 4 - 24 - 2019 COMPLIANCE 5 - 28 - 2019	Alance Toxic/Hazardous lies Traffic/Circulation Infacturing (MH)	Cumulative Effects Other: Tribal Resources Other: Tribal Resources Opply well to an estimated depth of construction and testing of the new arge water during the well estern property border to shield Fire the electrical and treatment emps, and chemical injection facilities. Gal EPA ARB: Airport & Freight ARB: Transportation Projects ARB: Major Industrial/Energy Resources, Recycl. & Recovery SWRCB: Div. of Drinking Water SWRCB: Div. Drinking Wtr # SWRCB: Div. Financial Assist. SWRCB: Wtr Quality SWRCB: Wtr Rights X Reg. WQCB # Toxic Sub Ctrl-CTC Yth/Adlt Corrections Corrections
Drainage/Absorption Economic/Jobs Present Land Use/Zoning/General Plan Designation: Present Land Use: Industrial (I), and zoned Heavy Manu Project Description: (please use a separate page if m Cal Water proposes to improve water service reliability 800 feet and capacity of 2.16 to 2.88 million gallons pewell. A catch basin and connection to an existing storm development process. Prior to drilling, a temporary noi Station No. 4 from construction noise. A slump stone b facilities if needed, and will contain aeration equipment Fencing, a security system, paving, and landscaping wi Clearinghouse Contact: (916) 445-0613 Review Began: 4 - 24 - 2019 COMPLIANCE 5 - 26 - 2019	Idance Toxic/Hazardous ies Traffic/Circulation Ifacturing (MH) Idecessary) If by construction of a new water super day. The Project includes drilling, on drain will be constructed to discharge wall will be erected along the east ouilding will be constructed to house it, ion exchange vessels, booster put ill be included in site development. If the project Sent to the followin If the project Sent to the project Sent to the followin If the project Sent to the followin If the project Sent to the followin If the project Sent to the project Sent	Cumulative Effects Other: Tribal Resources Other: Tribal Resources Opply well to an estimated depth of construction and testing of the new arge water during the well stern property border to shield Fire e the electrical and treatment amps, and chemical injection facilities. Gal EPA ARB: Airport & Freight ARB: Transportation Projects ARB: Major Industrial/Energy Resources, Recycl. & Recovery SWRCB: Div. of Drinking Water SWRCB: Div. Drinking Wtr # SWRCB: Div. Financial Assist. SWRCB: Wtr Quality SWRCB: Wtr Rights X Reg. WQCB # Toxic Sub Ctrl-CTC Yth/Adlt Corrections Corrections Independent Comm Delta Protection Comm
Drainage/Absorption Economic/Jobs Present Land Use/Zoning/General Plan Designation: Present Land Use: Industrial (I), and zoned Heavy Manu-Project Description: (please use a separate page if not Cal Water proposes to improve water service reliability 800 feet and capacity of 2.16 to 2.88 million gallons per well. A catch basin and connection to an existing storm development process. Prior to drilling, a temporary noi Station No. 4 from construction noise. A slump stone be facilities if needed, and will contain aeration equipment Fencing, a security system, paving, and landscaping with Clearinghouse Contact: (916) 445-0613 Review Began: (916) 445-0613 Review Began: (916) 445-0613 COMPLIANCE (916) 445-0613	Alance Toxic/Hazardous lies Traffic/Circulation Infacturing (MH) Infacturing (Mathematics of Infacturing (Mathematics of Infacturing (Ma	Cumulative Effects Other: Tribal Resources Other: Tribal Resources Opply well to an estimated depth of construction and testing of the new arge water during the well stern property border to shield Fire e the electrical and treatment amps, and chemical injection facilities. Gal EPA ARB: Airport & Freight ARB: Transportation Projects ARB: Major Industrial/Energy Resources, Recycl. & Recovery SWRCB: Div. of Drinking Water SWRCB: Div. Financial Assist. SWRCB: Wtr Quality SWRCB: Wtr Rights X Reg. WQCB # Toxic Sub Ctrl-CTC Yth/Adlt Corrections Corrections Independent Comm Delta Protection Comm Delta Stewardship Council Energy Commission X NAHC
Present Land Use/Zoning/General Plan Designation: Present Land Use: Industrial (I), and zoned Heavy Manu- Project Description: (please use a separate page if m. Cal Water proposes to improve water service reliability 800 feet and capacity of 2.16 to 2.88 million gallons per well. A catch basin and connection to an existing storm development process. Prior to drilling, a temporary noi Station No. 4 from construction noise. A slump stone be facilities if needed, and will contain aeration equipment Fencing, a security system, paving, and landscaping with Clearinghouse Contact: (916) 445-0613 Review Began: 4 - 24 - 2019 COMPLIANCE 5 - 28 - 2019 ase note State Clearinghouse Number H#) on all Comments 2019049155 H#: se forward late comments directly to the	lance Toxic/Hazardous les Traffic/Circulation Infacturing (MH) Infacturing (Matterior Supplied (Infacturing (Infacturing (Infacturing (Infacturing (Infacturing (Infacturing (Infacturing (Inf	Cumulative Effects Other: Tribal Resources Other end Other Resources Other Resources Other Agencies Other A
Present Land Use/Zoning/General Plan Designation: Present Land Use: Industrial (I), and zoned Heavy Manu- Project Description: (please use a separate page if m. Cal Water proposes to improve water service reliability 800 feet and capacity of 2.16 to 2.88 million gallons per well. A catch basin and connection to an existing storm development process. Prior to drilling, a temporary noi Station No. 4 from construction noise. A slump stone be facilities if needed, and will contain aeration equipment Fencing, a security system, paving, and landscaping with Clearinghouse Contact: (916) 445-0613 Review Began: 4 - 24 - 2019 COMPLIANCE 5 - 28 - 2019 ase note State Clearinghouse Number H#) on all Comments 2019049155 H#: se forward late comments directly to the	lance Toxic/Hazardous les Traffic/Circulation lafacturing (MH) lecessary) les by construction of a new water super day. The Project includes drilling, on drain will be constructed to dischalise wall will be erected along the east wilding will be constructed to house it, ion exchange vessels, booster put ill be included in site development. Project Sent to the followin X Resources Boating & Waterways Central Valley Flood Prot. Coastal Comm Colorado Rvr Bd Conservation X CDFW # 5 Cal Fire Historic Preservation X Parks & Rec Bay Cons & Dev Comm. DWR CalSTA Aeronautics CHP X Caltrans# 1 Trans Planning Other Education	Cumulative Effects Other: Tribal Resources Other: Tribal Resources Opply well to an estimated depth of construction and testing of the new arge water during the well estern property border to shield Fire the electrical and treatment emps, and chemical injection facilities. Gal EPA ARB: Airport & Freight ARB: Transportation Projects ARB: Major Industrial/Energy Resources, Recycl. & Recovery SWRCB: Div. of Drinking Water SWRCB: Div. Drinking Wtr # SWRCB: Wtr Quality SWRCB: Wtr Rights X Reg. WQCB # Toxic Sub Ctrl-CTC Yth/Adlt Corrections Corrections Independent Comm Delta Protection Comm Delta Stewardship Council Energy Commission X NAHC Public Utilities Comm Santa Monica Bay Restoration
Present Land Use/Zoning/General Plan Designation: Present Land Use: Industrial (I), and zoned Heavy Manu- Project Description: (please use a separate page if m. Cal Water proposes to improve water service reliability 800 feet and capacity of 2.16 to 2.88 million gallons per well. A catch basin and connection to an existing storm development process. Prior to drilling, a temporary noi Station No. 4 from construction noise. A slump stone be facilities if needed, and will contain aeration equipment Fencing, a security system, paving, and landscaping with Clearinghouse Contact: (916) 445-0613 Review Began: 4 - 24 - 2019 COMPLIANCE 5 - 28 - 2019 ase note State Clearinghouse Number CH#) on all Comments 2019049155 L#: se forward late comments directly to the	lance Toxic/Hazardous les Traffic/Circulation Infacturing (MH) Infacturing (Matterior Supplied (Infacturing (Infacturing (Infacturing (Infacturing (Infacturing (Infacturing (Infacturing (Inf	Cumulative Effects Other: Tribal Resources Other Heaver Street Other Heaver
Drainage/Absorption Population/Housing Ba Public Services/Faciliti Present Land Use: Industrial (I), and zoned Heavy Manu-Project Description: (please use a separate page if not Cal Water proposes to improve water service reliability 800 feet and capacity of 2.16 to 2.88 million gallons per well. A catch basin and connection to an existing storm development process. Prior to drilling, a temporary noi Station No. 4 from construction noise. A slump stone be facilities if needed, and will contain aeration equipment Fencing, a security system, paving, and landscaping will clearinghouse Contact: (916) 445-0613 Review Began:	lance Toxic/Hazardous less Traffic/Circulation lafacturing (MH) lecessary) by construction of a new water super day. The Project includes drilling, on drain will be constructed to dischalise wall will be erected along the east wilding will be constructed to house the included in site development. Project Sent to the followin X Resources Boating & Waterways Central Valley Flood Prot. Coastal Comm Colorado Rvr Bd Conservation X CDFW # 5 Cal Fire Historic Preservation X Parks & Rec Bay Cons & Dev Comm. DWR CalSTA Aeronautics CHP X Caltrans# 1 Trans Planning Other Education Food & Agriculture HCD OES	Cumulative Effects Cother: Tribal Resources Deply well to an estimated depth of construction and testing of the new arge water during the well estern property border to shield Fire the electrical and treatment emps, and chemical injection facilities. Gal EPA ARB: Airport & Freight ARB: Transportation Projects ARB: Major Industrial/Energy Resources, Recycl. & Recovery SWRCB: Div. of Drinking Water SWRCB: Div. Drinking Wtr # SWRCB: Wtr Quality SWRCB: Wtr Rights X Reg. WQCB # Toxic Sub Ctrl-CTC Yth/Adlt Corrections Corrections Corrections Independent Comm Delta Protection Comm Delta Stewardship Council Energy Commission X NAHC Public Utilities Comm Santa Monica Bay Restoration State Lands Comm Tahoe Rgl Plan Agency
Drainage/Absorption Economic/Jobs Present Land Use/Zoning/General Plan Designation: Present Land Use: Industrial (I), and zoned Heavy Manu Project Description: (please use a separate page if not Cal Water proposes to improve water service reliability 800 feet and capacity of 2.16 to 2.88 million gallons per well. A catch basin and connection to an existing storm development process. Prior to drilling, a temporary noi Station No. 4 from construction noise. A slump stone be facilities if needed, and will contain aeration equipment Fencing, a security system, paving, and landscaping with Clearinghouse Contact: (916) 445-0613 Review Began: Queen Population/Housing Ba Public Services/Facilities Properties Properties Properties Population/Housing Ba Public Services/Facilities Public Services/Facilities Properties Properties Properties Population Flancy Manu Project Description: (please use a separate page if no call was a service reliability and call was a servi	lance Toxic/Hazardous less Traffic/Circulation lafacturing (MH) lecessary) less by construction of a new water super day. The Project includes drilling, on drain will be constructed to dischalise wall will be erected along the east wilding will be constructed to house the included in site development. Project Sent to the followin X Resources Boating & Waterways Central Valley Flood Prot. Coastal Comm Colorado Rvr Bd Conservation X CDFW # 5 Cal Fire Historic Preservation X Parks & Rec Bay Cons & Dev Comm. DWR CalSTA Aeronautics CHP X Caltrans# Trans Planning Other Education Food & Agriculture HCD	Cumulative Effects Cother: Tribal Resources Deply well to an estimated depth of construction and testing of the new large water during the well estern property border to shield Fire the electrical and treatment emps, and chemical injection facilities. Gal EPA ARB: Airport & Freight ARB: Transportation Projects ARB: Major Industrial/Energy Resources, Recycl. & Recovery SWRCB: Div. of Drinking Water SWRCB: Div. Drinking Wtr # SWRCB: Div. Financial Assist. SWRCB: Wtr Quality SWRCB: Wtr Rights X Reg. WQCB # Toxic Sub Ctrl-CTC Yth/Adlt Corrections Corrections Independent Comm Delta Protection Comm Delta Stewardship Council Energy Commission X NAHC Public Utilities Comm Santa Monica Bay Restoration State Lands Comm

Reviewing Agencies Checklist		
Lead Agencies may recommend State Clearinghouse distribut If you have already sent your document to the agency please of	tion by marking agencies below with and " \mathbf{X} ". denote that with an " \mathbf{S} ".	
Air Resources Board	X Office of Historic Preservation	
Boating & Waterways, Department of	Office of Public School Construction	
	Parks & Recreation, Department of	
The state of the s	Pesticide Regulation, Department of	
	Public Utilities Commission	
Caltrans District # Caltrans Division of Aeronautics	X Regional WQCB #4	
	Resources Agency	
Caltrans Planning	Resources Recycling and Recovery, Department of	
Central Valley Flood Protection Board Coachella Valley Mtns. Conservancy		
	S.F. Bay Conservation & Development Comm.	
Coastal Commission	San Gabriel & Lower L.A. Rivers & Mtns. Conservancy	
Colorado River Board	San Joaquin River Conservancy	
Conservation, Department of	Santa Monica Mtns. Conservancy	
Corrections, Department of	State Lands Commission	
Delta Protection Commission	SWRCB: Clean Water Grants	
Education, Department of	SWRCB: Water Quality	
Energy Commission	SWRCB: Water Rights	
X Fish & Game Region #5	Tahoe Regional Planning Agency	
Food & Agriculture, Department of	Toxic Substances Control, Department of	
Forestry and Fire Protection, Department of	Water Resources, Department of	
General Services, Department of		
Health Services, Department of	Other:	
Housing & Community Development	Other:	
X Native American Heritage Commission		
Local Public Review Period (to be filled in by lead agency	n	
Starting Date April 25, 2019	Ending Date May 25, 2019	
Lead Agency (Complete if applicable):		
Chambers Group Inc	Applicant. California Water Service Company - Dominguez	
Consulting Firm: Chambers Group, Inc. Address: 600 West Broadway, Suite 250		
City/State/Zip: Glendale, CA 90214	City/State/Zip: Torrance, CA 90505	
Contact: Clyde Arucan with CalWater	Phone: (310) 257-1447	
Phone: (Clyde Arucan) (310) 257-1447	Thore.	
Signature of Lead Agency Representative:	Date: 4/25/19	
Authority cited: Section 21083, Public Resources Code. Refer	erence: Section 21161, Public Resources Code.	