Appendix C 2019089054

Notice of Completion & Environmental Document Transmittal

Mail to: State Clearinghouse, P.O. Box 3044, Sacramento, CA 95812-3044 (916) 445-0613 For Hand Delivery/Street Address: 1400 Tenth Street, Sacramento, CA 95814

SCH # N/A

Lead Agency: Santa Clara Valley Water District	Contact Person: Todd Sexauer
Mailing Address: 5750 Almaden Expressway	
City: San Jose	
Project Location: County: Santa Clara	City/Nearest Community: City of Saratoga
Cross Streets: Cox Avenue and Saratoga Creek Drive	Zip Code: 95070
	<u>° 16 ′ 56 ″ N / 122 ° 00 ′ 25 ″</u> W Total Acres: 7.87
Assessor's Parcel No.: 386-21-037, 043, 386-19-089, 386-07- Within 2 Miles: State Hwy #: SR 85	
Airports: None	
Document Type: CEQA: NOP Draft EIR Early Cons Supplement/Subseq Neg Dec (Prior SCH No.) Mit Neg Dec Other:	Draft EIS Other <u>G 1 6 2019</u> FONSI
Local Action Type:	STATE CLEARINGHOUS
General Plan Update Specific Plan	Rezone Annexation
General Plan Amendment Master Plan	Prezone Redevelopment
☐ General Plan Element ☐ Planned Unit Dev ☐ Community Plan ☐ Site Plan	velopment Use Permit Coastal Permit Land Division (Subdivision, etc.) Other: Creek Restoration
Development Type:	
Residential: Units Acres Office: Sq.ft. Acres Emp	loyees Transportation: Type
Commercial:Sq.ft Acres Emp	loyees Mining: Mineral
Industrial: Sq.ft Acres Emp	lovees Power: Type MW
Water Facilities: Type MGD _	Other: Hazard tree removal and creek restoration.
Project Issues Discussed in Document:	
Aesthetic/Visual	Recreation/Parks Vegetation
Agricultural Land Flood Plain/Flood	ling Schools/Universities Water Quality
Air Quality Forest Land/Fire I	
 Archeological/Historical Biological Resources Minerals 	 Sewer Capacity Wetland/Riparian Soil Erosion/Compaction/Grading Growth Inducement
Coastal Zone Noise	Solid Waste
Drainage/Absorption Population/Housin Economic/Jobs Public Services/Fa	ng Balance Toxic/Hazardous Cumulative Effects acilities Traffic/Circulation Other:
Present Land Use/Zoning/General Plan Designation	ion:
Canazal Diany Madium Density Desidential (M. 40) single family 40	
Project Description: (please use a separate page	e if necessary)
Project Description: (please use a separate page Many of the eucalyptus trees in the Proj	e if necessary) ect area are either dving, diseased, poorly structured
Project Description: (please use a separate page Many of the eucalyptus trees in the Proj and/or leaning toward existing residential	e <i>if necessary)</i> ect area are either dying, diseased, poorly structured, homes and Pacific Gas and Electric (PG&E) powerlines
Project Description: (please use a separate page Many of the eucalyptus trees in the Proj and/or leaning toward existing residential to the east. Therefore, Valley Water is	<i>e if necessary)</i> ect area are either dying, diseased, poorly structured, homes and Pacific Gas and Electric (PG&E) powerlines proposing a phased removal of 104 diseased bazard
Project Description: (please use a separate page Many of the eucalyptus trees in the Proj and/or leaning toward existing residential to the east. Therefore, Valley Water is	e <i>if necessary)</i> ect area are either dying, diseased, poorly structured, homes and Pacific Gas and Electric (PG&E) powerlines
Project Description: (please use a separate page Many of the eucalyptus trees in the Proj and/or leaning toward existing residential to the east. Therefore, Valley Water is eucalyptus trees within the 7.87-acre Pro Work Areas.	<i>e if necessary)</i> lect area are either dying, diseased, poorly structured, homes and Pacific Gas and Electric (PG&E) powerlines proposing a phased removal of 104 diseased hazard oject area over three years (2019-2021) in a series of
Project Description: (please use a separate page Many of the eucalyptus trees in the Proj and/or leaning toward existing residential to the east. Therefore, Valley Water is eucalyptus trees within the 7.87-acre Pro Work Areas.	<i>e if necessary)</i> ect area are either dying, diseased, poorly structured, homes and Pacific Gas and Electric (PG&E) powerlines proposing a phased removal of 104 diseased hazard oject area over three years (2019-2021) in a series of Project Sent to the following State Agencies
Project Description: (please use a separate page Many of the eucalyptus trees in the Proj and/or leaning toward existing residential to the east. Therefore, Valley Water is eucalyptus trees within the 7.87-acre Pro Work Areas. Clearinghouse Contact: (916) 445-0613	e if necessary) ect area are either dying, diseased, poorly structured, homes and Pacific Gas and Electric (PG&E) powerlines proposing a phased removal of 104 diseased hazard oject area over three years (2019-2021) in a series of Project Sent to the following State Agencies X_ Resources Cal EPA
Project Description: (please use a separate page Many of the eucalyptus trees in the Proj and/or leaning toward existing residential to the east. Therefore, Valley Water is eucalyptus trees within the 7.87-acre Pro Work Areas. Clearinghouse Contact: (916) 445-0613	e if necessary) ect area are either dying, diseased, poorly structured, homes and Pacific Gas and Electric (PG&E) powerlines proposing a phased removal of 104 diseased hazard oject area over three years (2019-2021) in a series of Project Sent to the following State Agencies <u>X</u> Resources Cal EPA Boating & Waterways ARB: Airport & Freight
Project Description: (please use a separate page Many of the eucalyptus trees in the Proj and/or leaning toward existing residential to the east. Therefore, Valley Water is eucalyptus trees within the 7.87-acre Pro Work Areas. Clearinghouse Contact: (916) 445-0613	 <i>e if necessary)</i> <i>iect area are either dying, diseased, poorly structured, homes and Pacific Gas and Electric (PG&E) powerlines proposing a phased removal of 104 diseased hazard oject area over three years (2019-2021) in a series of</i> <i>Project Sent to the following State Agencies</i> <u>X</u> Resources <u>Cal EPA</u> <u>Boating & Waterways</u> <u>Central Valley Flood Prot.</u> <u>ARB: Transportation Project ARB: Major Industrial/Ene</u>
Project Description: (please use a separate page Many of the eucalyptus trees in the Proj and/or leaning toward existing residential to the east. Therefore, Valley Water is p eucalyptus trees within the 7.87-acre Pro Work Areas. Clearinghouse Contact: (916) 445-0613 Review Began: 	e if necessary) ect area are either dying, diseased, poorly structured, homes and Pacific Gas and Electric (PG&E) powerlines proposing a phased removal of 104 diseased hazard oject area over three years (2019-2021) in a series of Project Sent to the following State Agencies X Resources Boating & Waterways ARB: Airport & Freight Central Valley Flood Prot. ARB: Transportation Proje Colorado Rvr Bd Resources, Recycl.& Recover
Project Description: (please use a separate page Many of the eucalyptus trees in the Proj and/or leaning toward existing residential to the east. Therefore, Valley Water is p eucalyptus trees within the 7.87-acre Pro Work Areas. Clearinghouse Contact: (916) 445-0613 Review Began: 8 - 16 - 2019	e if necessary) lect area are either dying, diseased, poorly structured, homes and Pacific Gas and Electric (PG&E) powerlines proposing a phased removal of 104 diseased hazard oject area over three years (2019-2021) in a series of Project Sent to the following State Agencies
Project Description: (please use a separate page Many of the eucalyptus trees in the Proj and/or leaning toward existing residential to the east. Therefore, Valley Water is p eucalyptus trees within the 7.87-acre Pro Work Areas. Clearinghouse Contact: (916) 445-0613 Review Began: 9 - 16 - 2019 9 - 2019 9 - 2019 	e if necessary) ject area are either dying, diseased, poorly structured, homes and Pacific Gas and Electric (PG&E) powerlines proposing a phased removal of 104 diseased hazard oject area over three years (2019-2021) in a series of Project Sent to the following State Agencies
Project Description: (please use a separate page Many of the eucalyptus trees in the Proj and/or leaning toward existing residential to the east. Therefore, Valley Water is p eucalyptus trees within the 7.87-acre Pro Work Areas. Clearinghouse Contact: (916) 445-0613 Review Began: 	e if necessary) ject area are either dying, diseased, poorly structured, homes and Pacific Gas and Electric (PG&E) powerlines proposing a phased removal of 104 diseased hazard oject area over three years (2019-2021) in a series of Project Sent to the following State Agencies
Project Description: (please use a separate page Many of the eucalyptus trees in the Proj and/or leaning toward existing residential to the east. Therefore, Valley Water is p eucalyptus trees within the 7.87-acre Pro Work Areas. Clearinghouse Contact: (916) 445-0613 Review Began: 	e if necessary) ject area are either dying, diseased, poorly structured, homes and Pacific Gas and Electric (PG&E) powerlines proposing a phased removal of 104 diseased hazard oject area over three years (2019-2021) in a series of Project Sent to the following State Agencies X Resources Boating & Waterways ARB: Airport & Freight Central Valley Flood Prot. ARB: Transportation Proje Colorado Rvr Bd Resources, Recycl.& Recove Conservation ✓ X CDFW # 3 ✓ Cal Fire ✓ SWRCB: Div. of Drinking W ✓ SWRCB: Div. Financial Ass ✓ Yer Quality ✓ SWRCB: Wtr Quality ✓ SWRCB: Wtr Rights
Project Description: (please use a separate page Many of the eucalyptus trees in the Proj and/or leaning toward existing residential to the east. Therefore, Valley Water is p eucalyptus trees within the 7.87-acre Pro Work Areas. Clearinghouse Contact: (916) 445-0613 Review Began: 9 - 16 - 2019 9 - 2019 9 - 2019 	e if necessary) ject area are either dying, diseased, poorly structured, homes and Pacific Gas and Electric (PG&E) powerlines proposing a phased removal of 104 diseased hazard object area over three years (2019-2021) in a series of Project Sent to the following State Agencies X Resources Boating & Waterways ARB: Airport & Freight Central Valley Flood Prot. ARB: Transportation Proje Colorado Rvr Bd Resources, Recycl.& Recover Conservation ✓ X CDFW # 3 ✓ SWRCB: Div. of Drinking W ✓ SWRCB: Div. Financial Ass ✓ Historic Preservation ✓ SWRCB: Wtr Quality X Parks & Rec Bay Cons & Dev Comm. X
Project Description: (please use a separate page Many of the eucalyptus trees in the Proj and/or leaning toward existing residential to the east. Therefore, Valley Water is p eucalyptus trees within the 7.87-acre Pro Work Areas. Clearinghouse Contact: (916) 445-0613 Review Began: 2019 	e if necessary) ject area are either dying, diseased, poorly structured, homes and Pacific Gas and Electric (PG&E) powerlines proposing a phased removal of 104 diseased hazard object area over three years (2019-2021) in a series of Project Sent to the following State Agencies X Resources Boating & Waterways ARB: Airport & Freight Central Valley Flood Prot. ARB: Transportation Proje Colorado Rvr Bd Resources, Recycl.& Recover Conservation ✓ X CDFW # 3 SWRCB: Div. of Drinking W ✓ SWRCB: Div. Financial Ass ✓ SWRCB: Wtr Quality ✓ SWRCB: Wtr Rights Bay Cons & Dev Comm. X DWR Y
Project Description: (please use a separate page Many of the eucalyptus trees in the Proj and/or leaning toward existing residential to the east. Therefore, Valley Water is p eucalyptus trees within the 7.87-acre Pro Work Areas. Clearinghouse Contact: (916) 445-0613 Review Began: 	e if necessary) ject area are either dying, diseased, poorly structured, homes and Pacific Gas and Electric (PG&E) powerlines proposing a phased removal of 104 diseased hazard object area over three years (2019-2021) in a series of Project Sent to the following State Agencies X Resources Boating & Waterways ARB: Airport & Freight Central Valley Flood Prot. ARB: Transportation Proje Colorado Rvr Bd Resources, Recycl.& Recover Conservation ✓ X CDFW # 3 ✓ SWRCB: Div. of Drinking W ✓ SWRCB: Div. Financial Ass ✓ Historic Preservation ✓ SWRCB: Wtr Quality X Parks & Rec Bay Cons & Dev Comm. X
Project Description: (please use a separate page Many of the eucalyptus trees in the Proj and/or leaning toward existing residential to the east. Therefore, Valley Water is p eucalyptus trees within the 7.87-acre Pro Work Areas. Clearinghouse Contact: (916) 445-0613 Review Began:	e if necessary) iect area are either dying, diseased, poorly structured, homes and Pacific Gas and Electric (PG&E) powerlines proposing a phased removal of 104 diseased hazard object area over three years (2019-2021) in a series of Project Sent to the following State Agencies X Resources Boating & Waterways ARB: Airport & Freight Central Valley Flood Prot. ARB: Transportation Proje Colorado Rvr Bd Resources, Recycl.& Recove Conservation SWRCB: Div. of Drinking W X CDFW # 3 K SWRCB: Div. Financial Ass Mistoric Preservation SWRCB: Wtr Quality X Parks & Rec Bay Cons & Dev Comm. X DWR Yth/Adlt Corrections
Project Description: (please use a separate page Many of the eucalyptus trees in the Proj and/or leaning toward existing residential to the east. Therefore, Valley Water is p eucalyptus trees within the 7.87-acre Pro Work Areas. Clearinghouse Contact: (916) 445-0613 Review Began:	e if necessary) ject area are either dying, diseased, poorly structured, homes and Pacific Gas and Electric (PG&E) powerlines proposing a phased removal of 104 diseased hazard object area over three years (2019-2021) in a series of Project Sent to the following State Agencies X Resources Boating & Waterways
Project Description: (please use a separate page Many of the eucalyptus trees in the Proj and/or leaning toward existing residential to the east. Therefore, Valley Water is p eucalyptus trees within the 7.87-acre Pro Work Areas. Clearinghouse Contact: (916) 445-0613 Review Began:	e if necessary) ject area are either dying, diseased, poorly structured, homes and Pacific Gas and Electric (PG&E) powerlines proposing a phased removal of 104 diseased hazard oject area over three years (2019-2021) in a series of Project Sent to the following State Agencies
Project Description: (please use a separate page Many of the eucalyptus trees in the Proj and/or leaning toward existing residential to the east. Therefore, Valley Water is p eucalyptus trees within the 7.87-acre Pro Work Areas. Clearinghouse Contact: (916) 445-0613 Review Began: <u>8</u> - <u>16</u> - 2019 COMPLIANCE <u>9</u> - <u>16</u> - 2019 See note State Clearinghouse Number H#2 on all Somments 5 4	e if necessary) ject area are either dying, diseased, poorly structured, homes and Pacific Gas and Electric (PG&E) powerlines proposing a phased removal of 104 diseased hazard object area over three years (2019-2021) in a series of Project Sent to the following State Agencies
Project Description: (please use a separate page Many of the eucalyptus trees in the Proj and/or leaning toward existing residential to the east. Therefore, Valley Water is p eucalyptus trees within the 7.87-acre Pro Work Areas. Clearinghouse Contact: (916) 445-0613 Review Began: <u>8 - 16 - 2019</u> COMPLIANCE <u>9 - 16 - 2019</u> compliance <u>9 - 16 - 2019</u> mese note State Clearinghouse Number H#200 all Somments 5 4 I#:	e if necessary) iect area are either dying, diseased, poorly structured, homes and Pacific Gas and Electric (PG&E) powerlines proposing a phased removal of 104 diseased hazard object area over three years (2019-2021) in a series of Project Sent to the following State Agencies X Resources Boating & Waterways ARB: Airport & Freight Central Valley Flood Prot. ARB: Transportation Proje Colorado Rvr Bd Resources, Recycl.& Recover Colorado Rvr Bd SWRCB: Div. of Drinking W X CDFW # 3 Y SWRCB: Div. of Drinking W X Cal Fire Bay Cons & Dev Comm. SWRCB: Wtr Quality X Parks & Rec Bay Cons & Dev Comm. X Maior CalSTA Meteronautics Aeronautics Delta Protection Comm Aeronautics Delta Stewardship Council X Caltrans# 4 X Caltrans# 4 X Caltrans# 4 X Caltrans# 1
Project Description: (please use a separate page Many of the eucalyptus trees in the Proj and/or leaning toward existing residential to the east. Therefore, Valley Water is p eucalyptus trees within the 7.87-acre Pro Work Areas. Clearinghouse Contact: (916) 445-0613 Review Began: <u>8 - 16 - 2019</u> COMPLIANCE <u>9 - 16 - 2019</u> COMPLIANCE <u>9 - 16 - 2019</u> Ase note State Clearinghouse Number H#2 on all Somments 5 5 4 H#:	e if necessary) ject area are either dying, diseased, poorly structured, homes and Pacific Gas and Electric (PG&E) powerlines proposing a phased removal of 104 diseased hazard oject area over three years (2019-2021) in a series of Project Sent to the following State Agencies X Resources Boating & Waterways ARB: Airport & Freight Central Valley Flood Prot. ARB: Major Industrial/Ene Colorado Rvr Bd Resources, Recycl.& Recove Conservation X CDFW # 3 Y SWRCB: Div. Or Drinking W X Cal Fire Bay Cons & Dev Comm. SWRCB: Div. Financial Ass Y Historic Preservation SWRCB: Wtr Quality X Parks & Rec SWRCB: Wtr Rights Bay Cons & Dev Comm. Z Corrections DWR ✓ Cal STA Aeronautics Delta Protection Comm ✓ Caltrans# 4 K X Caltrans# 4 K X Caltrans# 4 K X Caltrans# 4 K Y Public Utilities Comm K
Project Description: (please use a separate page Many of the eucalyptus trees in the Proj and/or leaning toward existing residential to the east. Therefore, Valley Water is p eucalyptus trees within the 7.87-acre Pro Work Areas. * Clearinghouse Contact: (916) 445-0613 * Review Began:	e if necessary) ject area are either dying, diseased, poorly structured, homes and Pacific Gas and Electric (PG&E) powerlines proposing a phased removal of 104 diseased hazard object area over three years (2019-2021) in a series of Project Sent to the following State Agencies X Resources Cal EPA Boating & Waterways ARB: Airport & Freight Central Valley Flood Prot. ARB: Major Industrial/Ene Colorado Rvr Bd Resources, Recycl.& Recover Conservation ✓ X CDFW # 3 SWRCB: Div. of Drinking W ✓ SWRCB: Div. Div. financial Ass ✓ Historic Preservation X Reg. WQCB # 2 Bay Cons & Dev Comm. X May Cal Fire SWRCB: Wtr Rights Bay Cons & Dev Comm. X Reg. WQCB # 2 Yth/Adlt Corrections Corrections Independent Comm Aeronautics Delta Protection Comm ✓ Caltrans# 4 K X Caltrans# 4 K X Caltrans# 4 K Aeronautics Delta Stewardship Council K Caltrans# 4 K
Project Description: (please use a separate page Many of the eucalyptus trees in the Proj and/or leaning toward existing residential to the east. Therefore, Valley Water is p eucalyptus trees within the 7.87-acre Pro Work Areas. Clearinghouse Contact: (916) 445-0613 Review Began: <u>8 - 16 - 2019</u> COMPLIANCE <u>9 - 16 - 2019</u> COMPLIANCE <u>9 - 16 - 2019</u> Ase note State Clearinghouse Number H#2 on all Somments 5 4 H#:	e if necessary) ject area are either dying, diseased, poorly structured, homes and Pacific Gas and Electric (PG&E) powerlines proposing a phased removal of 104 diseased hazard object area over three years (2019-2021) in a series of Project Sent to the following State Agencies X Resources Cal EPA Boating & Waterways ARB: Airport & Freight Central Valley Flood Prot. ARB: Transportation Project Colorado Rvr Bd Resources, Recycl. & Recovel Colorado Rvr Bd SWRCB: Div. of Drinking W X CDFW # 3 SWRCB: Div. Financial Ass Y Historic Preservation SWRCB: Wtr Quality X Parks & Rec SWRCB: Wtr Rights Bay Cons & Dev Comm. ✓ Corrections Meronautics Delta Protection Comm Corrections Matername Caltrans# 4 K Energy Commission Trans Planning X NAHC Public Utilities Comm Metarian Education Santa Monica Bay Restoratic Santa Monica Bay R
Project Description: (please use a separate page Many of the eucalyptus trees in the Proj and/or leaning toward existing residential to the east. Therefore, Valley Water is p eucalyptus trees within the 7.87-acre Pro Work Areas. Clearinghouse Contact: (916) 445-0613 Review Began: <u>8</u> - 16 - 2019 COMPLIANCE <u>9</u> - 16 - 2019 see note State Clearinghouse Number H#200 all Somments 5 5 4 H#:	e if necessary) ject area are either dying, diseased, poorly structured, homes and Pacific Gas and Electric (PG&E) powerlines proposing a phased removal of 104 diseased hazard object area over three years (2019-2021) in a series of Project Sent to the following State Agencies X Resources Cal EPA Boating & Waterways ARB: Airport & Freight Central Valley Flood Prot. ARB: Major Industrial/Ene Colorado Rvr Bd Resources, Recycl. & Recources, Recycl. & Recources, Recycl. & Recources, Recycl. & Recources, Recycl. & SWRCB: Div. of Drinking W X CDFW # 3 SWRCB: Div. Drinking W X CDFW # 3 SWRCB: Div. Financial Ass Y Historic Preservation SWRCB: Wtr Quality X Parks & Rec SWRCB: Wtr Rights Bay Cons & Dev Comm. X Reg. WQCB # 2 DWR Y Toxic Sub Ctrl-CTC Yth/Adlt Corrections Corrections Corrections Meronautics Delta Protection Comm Energy Commission X Caltrans# 4 K Energy Commission X Caltrans# 4 K Public Utilities Comm Aeronautics Public Utilities Comm Santa Monica Bay Restoratid

____ General Services

_____ Other: _____

(Resources: <u>8 / 17</u>)

Reviewing Agencies Checklist

Lead Agencies may recommend State Clearinghouse distr If you have already sent your document to the agency plea	
Air Resources Board	Office of Historic Preservation
Boating & Waterways, Department of	Office of Public School Construction
California Emergency Management Agency	Parks & Recreation, Department of
California Highway Patrol	Pesticide Regulation, Department of
Caltrans District # 3	Public Utilities Commission
Caltrans Division of Aeronautics	X Regional WQCB # 2
Caltrans Planning	Resources Agency
Central Valley Flood Protection Board	Resources Recycling and Recovery, Department of
Coachella Valley Mtns. Conservancy	S.F. Bay Conservation & Development Comm.
Coastal Commission	San Gabriel & Lower L.A. Rivers & Mtns. Conservancy
Colorado River Board	San Joaquin River Conservancy
Conservation, Department of	Santa Monica Mtns. Conservancy
Corrections, Department of	State Lands Commission
Delta Protection Commission	SWRCB: Clean Water Grants
Education, Department of	X SWRCB: Water Quality
Energy Commission	SWRCB: Water Rights
X Fish & Game Region # 3	Tahoe Regional Planning Agency
Food & Agriculture, Department of	Toxic Substances Control, Department of
Forestry and Fire Protection, Department of	Water Resources, Department of
General Services, Department of	
Health Services, Department of	Other:
Housing & Community Development	Other:
Native American Heritage Commission	
Local Public Review Period (to be filled in by lead age	ncy)
Starting Date August 16, 2019	Ending Date September 16, 2019
Lead Agency (Complete if applicable):	
Consulting Firm:	Applicant: Santa Clara Valley Water District
Address:	Address: 5750 Almaden Expressway
City/State/Zip:	City/State/Zip: San Jose, CA 95118
Contact:	Phone: 408-630-3149
Phone:	p
Signature of Lead Agency Representative:	Date: 8-15-19

Authority cited: Section 21083, Public Resources Code. Reference: Section 21161, Public Resources Code.

Revised 2010